

Product Data Sheet

AQUA-X™ TIMBERLOOK

DESCRIPTION

- An ultra-premium grade acrylic based coating in a range of timber shades to enhance the grain on interior timber or to give the appearance of timber on substrates such as Zinalume® and Hardiplank®.

BENEFITS

- Quick drying.
- Dries to a hard finish.
- Good gloss retention.
- Water-based – easy clean up and lower odour.

RECOMMENDED USE

- Recommended for applications where a hard and/or fast drying water-based coating is required.
- Suitable for use on most architectural and construction materials including concrete and masonry, steel, Zinalume®, Hardiplank®.
- **Not recommended for use on timber floors, exterior decking or any exterior timber.**

BASIC DATA

- **APPLICATION:** Brush and spray – roller not recommended
- **COVERAGE RATE:** 14 square metres per litre – will vary depending on substrate
- **GLOSS LEVEL:** Available in Gloss and Satin
- **THINNER:** Not generally required - up to 10% with water
- **CLEAN UP:** Water – brushes and spray equipment must be cleaned immediately with water before the product has a chance to dry. Clean brushes between coats.
- **RE-COAT:** 20-30 minutes (depending on conditions)
- **COLOUR RANGE:** Cedar, Natural, Jarrah, Teak, Walnut, Dark & Light Oak, Mahogany and Clear. Other colours available on request.

SURFACE PREPARATION

- Surfaces must be clean, dry, and free of dust, grease, oils and wax.
- **DO NOT APPLY IF TEMPERATURE IS LESS THAN 10°C OR GREATER THAN 35°C.**

INSTRUCTIONS FOR USE

- Apply 3 or more coats of Aqua-X™ Timberlook.
- **Zinalume® and Hardiplank®:** Apply 1 coat of Aqua-X™ Primer followed by at least 2 coats of Aqua-X™ Timberlook.
- **Interior Timber:** Apply 1 coat of Aqua-X™ Timberlook and allow at least 30 minutes to dry before lightly sanding with fine abrasive. Then apply at least 2 further coats until desired finish is achieved.
[For exterior timber, use Aqua-X™ UV]

SAFETY

- Provide adequate ventilation during use.
- Avoid contact with skin and eyes.
- Do not pour left over paint down any drains.
- **FIRST AID:** If swallowed, give plenty of water to drink and seek medical attention.
If in eyes, rinse with lots of water for at least 15 minutes – seek medical assistance.
If skin contact occurs, wash with warm soapy water – contact a doctor of irritation persists.